ad notam

HIDDEN TECHNOLOGY - TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV

COMPOSITION CR 100-185 S

COMPOSITION SERIES

STANDARD PRODUCTS







KEY FEATURES

- State of the art technology
- 18.5" screen diagonal
- High brightness screen
- Crystal Mirror
- Invisible loudspeaker
- Integrated LED Lighting
- Easy to install



Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights:

EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com



HIDDEN TECHNOLOGY - TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV – COMPOSITION CR 100-185 S

GENERAL INFORMATION				
Installation method	On-Wall Installation			
Product Dimensions	1000 W x 800 H x 41 D mm 33.07" W x 39.37" H x 1.61" D inch			
Product Weight	18 kg 39.68 lbs			
Product Usage	For In-Door Use only			
Operating Temperature	5° to 50° Celcius (41° to 122° Fahrenheit)			
Humidity	20% - 80%			
HS Code	85 28 59 31			
Packaging type	Carton Box			
Packaging dimensions	1100 W x 900 H x 200 D mm 43.31" W x 35.43" H x 7.87" D inch			
Packaging Gross Volume Weight	33,0 kg 72.75 lbs			

(€



Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights:


EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com



HIDDEN TECHNOLOGY - TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV – COMPOSITION CR 100-185 S

SCREEN				
Mounting	On Glass (MGS)			
Display type	TFT Thin Film Transistor	TFT Thin Film Transistor		
Backlight	LED	LED		
Screen Diagonale	470 mm (18.5")			
Picture Format	16:9			
Physical Resolution	1366 x 768			
Viewing Angle	Horizontal: Typical (Total) 170° (Left: 85° / Right: 85°) Vertical: Typical (Total) 160° (Up: 80° / Down: 80°)			
Brightness ¹	450 cd/m2			
Contrast	Typical: 1000:1			
Response Time	6 ms			
Video Inputs	HDMI 1.3	3x	HDMI terminal	480i, 480p, 576i, 576p, 720i, 720p, 1080i, 1080p
	Component (YPbPr / YCbCr)	1x	RCA terminal, green (Y), blue (Pb), red (Pr)	720p, 1080i, 1080p
Audio Inputs	Line Level Input 1x RCA terminal, white (L), red (R))	
Other Inputs	USB	1x	USB terminal	Software Update, Media Player
	RS 232	1x	D-SUB 9 pin male terminal	
	IR Input (Infrared)	1x	Mini Jack 3.5 mm	
Audio Outputs	Speaker Output	1x	Phoenix Clip 4pin	2 x 8W RMS @ 8 Ohm per channel
Other Outputs	IR Output (Infrared - Cable)	1x	Mini Jack 3.5 mm	
	IR Output (Infrared - LED)	1x	Mini Jack 2.5 mm	
Media Player	Audio		MP3, AAC, M4A/AAC, WMA	
	Picture		JPEG/JPG, BMP, PNG	
	Video		AVI, MPG, DAT, MOV/MKV	
OSD Language	Deutsch, English, Espanol, Francais, Italiano, Portugues, Chinese			
Power	Voltage: DC 12V Standby: 0.3W / 25mA Default: 26W, 2.17A Maximum: 48W, 4A			
Certification	UL 60950-1, CAN / CSA 22.2 - 60950-1, CB, FCC, EN-60950-1, EMC 55022, EN 6100-3-2			











 $1\,Value\,might\,vary\,slightly\,dependent\,on\,your\,selected\,glass/\,mirror\,type.$

Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website **www.ad-notam.com**




HIDDEN TECHNOLOGY - TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV – COMPOSITION CR 100-185 S

GLASS & MIRROR				
Туре	Crystal Mirror			
Surface	Float			
Tint	Neutral			
Edging ²	Steep Facet 45°			
Reflection	95% +/- 5			
Transmission of screen image area	90% +/- 5			
Reflection of screen image area	8% +/- 5			

INVISIBLE LOUDSPEAKER				
Туре	Single			
Rated power	30W, max. power 60W			
Impedance	8 Ohm			
Sensitivity	85 dB			
Frequency response	60 - 20000 Hz			

LIGHTING	
Туре	LED
Luminance ¹	650 lm / meter
Color ¹	4100K / neutral white
Viewing Angle	120°
Dimmer	no
Power	Voltage: DC 24V / Consumption: 9.6W/m



OPTIONAL ACCESSORIES

Set Top Box T /S2

Set Top Box IPTV

Digital Signage Player Hardware

Slimline Remote Control

IR Emitter Cable

IR Loop Through Cable

 $1\,Value\,might\,vary\,slightly\,dependent\,on\,your\,selected\,glass/\,mirror\,type.\,2\,Areas\,may\,appear\,with\,a\,slightly\,deviating\,shade.$

Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights:

EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com