



HIDDEN TECHNOLOGY – TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV COMPOSITION CR 70-185 S

COMPOSITION SERIES

STANDARD PRODUCTS



- State of the art technology
- 18.5" screen diagonal
- High brightness screen
- Crystal Mirror
- Invisible loudspeaker
- Integrated LED Lighting
- Easy to install

Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com



00

0

ASPECT

ad notam

ad notam[®]

HIDDEN TECHNOLOGY – TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV - COMPOSITION CR 70-185 S

GENERAL INFORMATION			
Installation method	On-Wall Installation		
Product Dimensions	700 W x 800 H x 41 D mm 27.56" W x 31.5" H x 1.61" D inch		
Product Weight	15 kg 33.06 lbs		
Product Usage	For In-Door Use only		
Operating Temperature	5° to 50° Celcius (41° to 122° Fahrenheit)		
Humidity	20% - 80%		
HS Code	85 28 59 31		
Packaging type	Carton Box		
Packaging dimensions	810 W x 900 H x 200 D mm 31.89" W x 35.43" H x 7.87" D inch		
Packaging Gross Volume Weight	24,3 kg 53.57 lbs		

CE




Proprietary and Confidential The information contained in this document is the sole property of **ad notam**. Any reproduction in part or in whole without written permission from **ad notam** is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website **www.ad-notam.com**

ad notam®

HIDDEN TECHNOLOGY – TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV - COMPOSITION CR 70-185 S

SCREEN					
Mounting	On Glass (MGS)				
Display type	TFT Thin Film Transistor				
Backlight	LED				
Screen Diagonale	470 mm (18.5")				
Picture Format	16:9				
Physical Resolution	1366 x 768				
Viewing Angle	Horizontal: Typical (Total) 170° (Left: 85° / Right: 85°) Vertical: Typical (Total) 160° (Up: 80° / Down: 80°)				
Brightness ¹	450 cd/m2				
Contrast	Typical: 1000:1				
Response Time	6 ms				
Video Inputs	HDMI 1.3	Зx	HDMI terminal	480i, 480p, 576i, 576p, 720i, 720p, 1080i, 1080p	
	Component (YPbPr / YCbCr)	1x	RCA terminal, green (Y), blue (Pb), red (Pr)	720p, 1080i, 1080p	
Audio Inputs	Line Level Input 1x RCA terminal, white (L), red (R))	
Other Inputs	USB	1x	USB terminal	Software Update, Media Player	
	RS 232	1x	D-SUB 9 pin male terminal		
	IR Input (Infrared)	1x	Mini Jack 3.5 mm		
Audio Outputs	Speaker Output	1x	Phoenix Clip 4pin	2 x 8W RMS @ 8 Ohm per channel	
Other Outputs	IR Output (Infrared - Cable)	1x	Mini Jack 3.5 mm		
	IR Output (Infrared - LED)	1x	Mini Jack 2.5 mm		
Media Player	Audio		MP3, AAC, M4A/AAC, WMA		
	Picture		JPEG/JPG, BMP, PNG		
	Video		AVI, MPG, DAT, MOV/MKV		
OSD Language	Deutsch, English, Espanol, Francais, Italiano, Portugues, Chinese				
Power	Voltage: DC 12V Standby: 0.3W / 25mA Default: 26W, 2.17A Maximum: 48W, 4A				
Certification	UL 60950-1, CAN / CSA 22.2 - 60950-1, CB, FCC, EN-60950-1, EMC 55022, EN 6100-3-2				





1 Value might vary slightly dependent on your selected glass/ mirror type.

Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com

ad notam[®]

HIDDEN TECHNOLOGY – TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV - COMPOSITION CR 70-185 S

GLASS & MIRROR			
Туре	Crystal Mirror		
Surface	Float		
Tint	Neutral		
Edging ²	Steep Facet 45°		
Reflection	95% +/- 5		
Transmission of screen image area	90% +/- 5		
Reflection of screen image area	8% +/- 5		

INVISIBLE LOUDSPEAKER	
Туре	Single
Rated power	30W, max. power 60W
Impedance	8 Ohm
Sensitivity	85 dB
Frequency response	60 - 20000 Hz

		LIGHTED MIRROR TV COMPOSITION CR 70-185 S
LIGHTING		The product contains in-built
Туре	LED	
Luminance ¹	650 lm / meter	ר איז א 🗠 🔤 🗠 ר איז
Color ¹	4100K / neutral white	
Viewing Angle	120°	
Dimmer	no	
Power	Voltage: DC 24V / Consumption: 9.6W/m	The lamps cannot be replaced
		at the product.

OPTIONAL ACCESSORIES
Set Top Box T /S2
Set Top Box IPTV
Digital Signage Player Hardware
Slimline Remote Control
IR Emitter Cable
IR Loop Through Cable

1 Value might vary slightly dependent on your selected glass/ mirror type. 2 Areas may appear with a slightly deviating shade.

Proprietary and Confidential The information contained in this document is the sole property of ad notam. Any reproduction in part or in whole without written permission from ad notam is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com

874/2012